

# Maison

GRES PORCELLANATO SMALTATO  
Glazed porcelain stoneware

3 / 4  
COLORI / FORMATI




ABETE



IROKO



NOCE



Noce  
80x80 glam



Noce  
20x120





Noce  
20x120 - 30x120  
Silver ("Armonia")  
20x120





Abete  
80x80 chic . 20x120

Abete  
26,5x180





**Iroko**  
20x120 . 30x120





**Iroko**  
80x80 chic - 20x120

# Maison

## GRES PORCELLANATO SMALTATO

Glazed porcelain stoneware

### Abete



0541407 26,5x180 . 10,4"x70" rett.

■ 37



0541411 20x120 . 8"x47" rett.  
0541416 20x120 . 8"x47" grip

■ 22A

■ 24



0541412 30x120 . 12"x47" rett.

■ 22A



0541401 Abete Chic ■ 21  
80x80 . 32"x32" rett



0541403 Abete Glam ■ 21  
80x80 . 32"x32" rett

### Iroko



0541437 26,5x180 . 10,4"x70" rett.

■ 37



0541441 20x120 . 8"x47" rett.  
0541446 20x120 . 8"x47" grip

■ 22A

■ 24



0541442 30x120 . 12"x47" rett.

■ 22A



0541431 Iroko Chic ■ 21  
80x80 . 32"x32" rett



0541433 Iroko Glam ■ 21  
80x80 . 32"x32" rett

### Noce



0541467 26,5x180 . 10,4"x70" rett.

■ 37



0541471 20x120 . 8"x47" rett.  
0541476 20x120 . 8"x47" grip

■ 22A

■ 24



0541472 30x120 . 12"x47" rett.

■ 22A



0541461 Noce Chic ■ 21  
80x80 . 32"x32" rett



0541463 Noce Glam ■ 21  
80x80 . 32"x32" rett



● 21  
BATTISCOPA  
7x60 . 2,7"x24"  
0541418 Abete  
0541448 Iroko  
0541478 Noce



● 88  
ELEMENTO a L GRIP  
15x60x4 . 6"x24"x2"  
0541423 Abete  
0541453 Iroko  
0541483 Noce



● 239  
GRADONE DOPPIA VELA  
30x120x4x2 . 12"x47"x1,7x0,7  
0541420 Abete  
0541450 Iroko  
0541480 Noce



● 304  
ANG. GRADONE Dx  
30x120x4x2 . 12"x47"x1,7x0,7  
0541421 Abete  
0541451 Iroko  
0541481 Noce

ANG. GRADONE Sx  
30x120x4x2 . 12"x47"x1,7x0,7  
0541422 Abete  
0541452 Iroko  
0541482 Noce



## CARATTERISTICHE TECNICHE

Technical Features . Caracteristiques Techniques . Technische Eigenschaften . Caraterísticas Técnicas

**GS**

**Gres porcellanato smaltato**  
Glazed porcelain  
Grès cérame émaillé  
Glasierte feinsteinzeug  
Gres porcelánico esmaltado

Gruppo di appartenenza:  
class\_group d'appartenance\_zugehörigkeitsgruppe\_grupo de pertenencia:

**Bla GL**  
secondo EN 14411 Allegato G

Simbologia Symbolics Symboles Símbolos Simbologia	Caratteristica Features Caracteristiques Eigenschaften Características	Metodo di prova Test method Méthode d'essai Prüfmethode Método de ensayo	Unità di misura Unit of measurement Unité de mesure Massenheit Unidad de medida	Valore prescritto Prescribed value Valeur prescrite Vorgeschriebener Wert Valor prescrito	Valore medio Ricchetti Ricchetti's mean value Valeur moyenne Ricchetti Durchschnitts-Wert-Ricchetti Valor medio Ricchetti
	Dimensione lati Dimensions-Length and width Dimensions-Longueur et largeur Masse-Länge und Breite Dimensiones-Longitud y ancho	UNI EN ISO 10545-2	%	+/- 2,0	conforme conform conforme gleichmäßig conforme
	Rettineità dei lati Side straightness Rectitude des arêtes Geradigkeit der Kanten Rectitud de los lados	UNI EN ISO 10545-2	%	+/- 1,5 max	conforme conform conforme gleichmäßig conforme
	Ortoponalità degli spigoli Corner squareness Angularité Rechtwinkigkeit der Kanten Ortogonalidad de las esquinas	UNI EN ISO 10545-2	%	+/- 2,0 max	conforme conform conforme gleichmäßig conforme
	Pianità Flatness Planéité Ebenflächigkeit Planidad	UNI EN ISO 10545-2	%	+/- 2,0 max	conforme conform conforme gleichmäßig conforme
	Spessore Thickness Épaisseur Dicke Grosor	UNI EN ISO 10545-2	%	+/- 0,5 max	conforme conform conforme gleichmäßig conforme
	Absorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua	UNI EN ISO 10545-3	%	<= 0,5	conforme conform conforme gleichmäßig conforme
	Scarto di rottura (N/mm²) Breaking strength (N/mm²) Coefficient de rupture (N/mm²) Bruchzeit (N/mm²) Módulo de rotura (N/mm²)	UNI EN ISO 10545-4	N	≥ 1300 se spess ≥ 7,5 mm. ≥ 700 se spess < 7,5 mm.	conforme conform conforme gleichmäßig conforme
	Resistenza alla flessione Modules of rupture Coefficient de rupture Bruchmodul Resistencia a la flexion	UNI EN ISO 10545-4	N/mm²	>=35	conforme conform conforme gleichmäßig conforme
	Resistenza al cavillo Cracking resistant Résistance aux trévaillures Harnisse Resistencia al quarterdo	UNI EN ISO 10545-11	-	richiesta request demande anfrage solicitud	resiste
	Resistenza alle macchie Stain resistance Résistance au tâches Flecken beständigkeit Resistencia a las manchas	UNI EN ISO 10545-14	-	MIN 3	conforme conform conforme gleichmäßig conforme

## IMBALLI

Packaging . Emballages . Verpackungen . Embalajes

Formato . Size	Pz. pcs/Box	Mq. sqm/Box	Kg. kgs/Box	Scat. box/Pallet	Mq. box/Pallet	Kg. box/Pallet
80x80	2	1,28	30,0	40	51,20	1200
26,5x180	3	1,44	34,0	36	51,84	1224
20x120	5	1,20	28,0	27	32,40	756
30x120	3	1,08	25,5	28	30,24	714

Formato . Size	Pz. pcs/Box	Formato . Size	Pz. pcs/Box
7x60 battiscopa	14	30x120x4x2 ang. grad. doppia vela	1
30x120x4x2 gradone doppia vela	2	15x60x4 elemento a L grip	4